DERMATOLOGY REFERRAL FORM Fax: 270-247-6033 or 270-251-3571



1522 Cuba Road Mayfield, KY 42066 Phone: 270-247-3725

PRODUCTS I-Z

| Patient Information | loday's Date: Needs by Date: | | | | Snip to: Patient Office | UOther: | | |
|--|--|---------------|-------------------------|-------------------------------------|--|---------------------|--------------------|--|
| Address: | Patient Information | | | | Prescriber Information | | | |
| City, State, Zip: | Patient Name: | | | | Prescriber Name: | | | |
| Home & Cell #: Sex: Phone: Fax: | | | | | | | | |
| Sex Sex Sex Phone: Fax: Phone: Sex Phone: Phone: Sex Phone: Phone: Sex Phone: Phone: Phone: Sex Phone: Pho | • | | | | | | | |
| DOB: Sex: Phone: Fax: Phone: Fax: Drug Allergies: | | | | | | | | |
| Drug Allergies: Contact Person: | | | | | | | | |
| INSURANCE INFORMATION: Please fax front & back copy of Medical & Prescription card(s) as well as pertinent chart notes related to Patient's diagnosis. Cinical Information | | | Sex: | | | | | |
| Clinical Information—Statement Of Medical Necessity | | | | | | | | |
| ICD-10 code(s): Diagnosis: | IN | ISURANCE INFO | ORMATION: Please fax fr | ont & back copy of Medical & Presc | cription card(s) as well as pertinent chart notes rela | ated to Patient's d | iagnosis. | |
| ICD-10 code(s): | Clinical Information—Statement Of Medical Necessity | | | | | | | |
| ICD-10 code(s): | Diagnostic Information | | | | | | | |
| ICD-10 code(s): | ICD-10 code(s): Diagnosis: | | | | | | | |
| Location: | <u> </u> | | | | | | | |
| ## BSA: | | | | | | | | |
| MEDICATION DURATION/REASON FOR D/C MEDICATION MED | Location: Hands Feet Scalp Groin Nails Other: | | | | | | | |
| MEDICATION DURATION/REASON FOR D/C MEDICATION DURATION/REASON FOR D/C Others | % BSA: % TB/PPD Test Date Given:Results: Negative Positive (Please attach results) | | | | | | | |
| Methotrexate Cyclosporine Topicals (list): Sulfasalazine Topicals (list): Sulfasalazine Topicals (list): Topicals (list): Sulfasalazine Topicals (list): Topical (list): To | Prior Treatment History | | | | | | | |
| Cyclosporine Cyc | | | | | | | | |
| Sulfasalazine | | | | | | | | |
| Other: O | | | | | | | | |
| Prescription Information MEDICATION STRENGTH DIRECTIONS DIREC | | | | | | | | |
| MEDICATION STRENGTH DIRECTIONS QTY REFILLS ILUMYA 100mg PFS Induction: Inject 100mg SQ at Weeks 0, 4, and every 12 weeks thereafter 1 Month 3 Months Other: OTEZLA Starter Pack Follow Starter Pack directions 1 Month 3 Months Other: OTEZLA Starter Pack Follow Starter Pack directions 1 Month 3 Months Other: SILIQ 210mg PFS Induction: Inject 210mg SQ at Weeks 0, 1, and 2 1 Month 3 Months Other: SIMPONI Somg SmartJect Inject 210mg SQ every 2 weeks 1 Month 3 Months Other: SIMPONI Somg SmartJect Inject 50mg SQ once a month 1 Month 3 Months Other: SKYRIZI 75mg PFS Induction: Inject 150mg (2 syringes) SQ at Weeks 0, 4, & every 12 weeks thereafter 1 Month 3 Months Other: STELARA 45mg PFS 100kg Body Weight: Inject 45mg on day 0, week 4, & then every 12 weeks. 1 Month 3 Months Other: TALTZ 80mg PFS Inject 160mg SQ on Week 0, then inject 80mg at Weeks 2, 4, 6, 8, 10, & 12 3 Months Other: TREMFYA 100mg PFS Inject 100mg SQ at Week 0, Week 4, and every 8 weeks thereafter. 1 Month 3 Months Other: TREMFYA 100mg PFS Inject 100mg SQ at Week 0, Week 4, and every 8 weeks thereafter. 1 Month 3 Months Other: 1 Month 3 Months Other: 1 Month 3 Months Other: 1 Month 3 Months Other: 1 Month 3 Months Other: 1 Month 3 Months 0 Other: 1 Month 3 Mont | | | | | | | | |
| □ ILUMYA □ 100mg PFS □ Induction: Inject 100mg SQ at Weeks 0, 4, and every 12 weeks thereafter □ 3 Months □ Other: □ OTEZLA □ Starter Pack □ Starter Pack □ Follow Starter Pack directions □ 1 Month □ 3 Months □ Other: □ SILIQ □ 210mg PFS □ Induction: Inject 210mg SQ at Weeks 0, 1, and 2 □ 1 Month □ 3 Months □ Other: □ SIMPONI □ 50mg Smart Ject □ 1 Month □ 3 Months □ Other: □ SIMPONI □ 50mg Smart Ject □ 1 Inject 50mg SQ once a month □ 1 Month □ 3 Months □ Other: □ SKYRIZI □ 75mg PFS □ Induction: Inject 150mg (2 syringes) SQ at Weeks 0, 4, & every 12 weeks thereafter □ 1 Month □ 3 Months □ Other: □ STELARA □ 45mg PFS □ 45mg PFS □ 45mg on day 0, week 4, & then every 12 weeks. □ 1 Month □ 3 Months □ Other: □ TALTZ □ 80mg PFS □ 45mg SQ on Week 0, then inject 80mg at Weeks 2, 4, 6, 8, 10, & 12 □ 3 Months □ 3 Months □ Other: □ TREMFYA □ 100mg PFS □ Induction: Inject 160mg SQ at Week 0, Week 4, and every 8 weeks thereafter. □ 1 Month □ 3 Months □ 0ther: □ TREMFYA □ 100mg PFS □ Induction: Inject 100mg SQ at Week 0, Week 4, and every 8 weeks thereafter. □ 1 Month □ 3 Months □ 0ther: | 1 | MEDICATION | STRENGTH | | | QTY | REFILLS | |
| Nonths Starter Pack Follow Starter Pack directions Induction: Inject 210mg SQ every 12 weeks Induction: Inject 210mg SQ every 2 weeks Induction: Inject 30mg SQ every 12 weeks Induction: Inject 30mg (2 syringes) SQ at Weeks 0, 4, & every 12 weeks thereafter Induction: Inject 150mg (2 syringes) SQ every 12 weeks Induction: Inject 30mg Every 40mg | | | _ | ☐ Induction: Inject 100mg SQ at W | Jeeks 0. 4. and every 12 weeks thereafter | | | |
| □ OTEZLA □ Starter Pack □ Follow Starter Pack directions □ 1 Month □ SILIQ □ 210mg PFS □ Induction: Inject 210mg SQ at Weeks 0, 1, and 2 □ 1 Month □ SILIQ □ 50mg SmartJect □ Inject 50mg SQ once a month □ 1 Month □ SIMPONI □ 50mg SmartJect □ Inject 50mg SQ once a month □ 1 Month □ SKYRIZI □ 75mg PFS □ Induction: Inject 150mg (2 syringes) SQ at Weeks 0, 4, & every 12 weeks thereafter □ 1 Month □ SKYRIZI □ 75mg PFS □ Induction: Inject 150mg (2 syringes) SQ at Weeks 0, 4, & every 12 weeks thereafter □ 1 Month □ STELARA □ 45mg PFS □ <100kg Body Weight: Inject 45mg on day 0, week 4, & then every 12 weeks. | | ILUMYA | ☐ 100mg PFS | | | _ | | |
| OTEZIA 30mg Tablet Take 1 tablet twice a day 3 Months Other: | | | ☐ Starter Pack | ☐ Follow Starter Pack directions | | _ | | |
| SILIQ | | OTEZLA | _ | _ | | _ | | |
| SILIQ 210mg PFS | | | | | | | | |
| SIMPONI | | SILIQ | 210mg PFS | , - | | _ | | |
| SIMPONI Somg SmartJect 50mg SQ once a month 3 Months 3 Months 0ther: SKYRIZI 75mg PFS Induction: Inject 150mg (2 syringes) SQ at Weeks 0, 4, & every 12 weeks thereafter 3 Months 3 Months 0ther: SKYRIZI 75mg PFS Induction: Inject 150mg (2 syringes) SQ every 12 weeks 1 Month 3 Months 0ther: STELARA 45mg PFS 90mg PFS 100kg Body Weight: Inject 45mg on day 0, week 4, & then every 12 weeks. 3 Months 3 Months 100kg Body Weight: Inject 90mg on day 0, week 4, & then every 12 weeks. 3 Months 3 Months 100kg Body Weight: Inject 90mg on day 0, week 4, & then every 12 weeks. 1 Month 3 Months 100kg Body Weight: Inject 90mg on day 0, week 4, & then every 12 weeks. 1 Month 3 Months 3 Mon | | | | | , | _ | | |
| SKYRIZI | | SIMPONI | | ☐ Inject 50mg SQ once a month | | | | |
| SKYRIZI | | | ☐ 50mg PF3 | | | | | |
| Maintenance: Inject 150mg (2 syringes) SQ every 12 weeks | П | CLADIZI | □ 75ma DEC | ☐ Induction: Inject 150mg (2 syring | ges) SQ at Weeks 0, 4, & every 12 weeks thereafter | | | |
| STELARA | Ш | SKIRIZI | ☐ 75mg PF3 | ☐ Maintenance: Inject 150mg (2 sy | ringes) SQ every 12 weeks | | | |
| STELARA | | | □ 4Em ≈ DEC | | | ☐ 1 Month | | |
| TALTZ | | STELARA | — | | | _ | | |
| TALTZ | | | | | | | | |
| TREMFYA | | TALTZ | | | | 3 Months | | |
| TREMFYA | | | | | - , | _ | | |
| ☐ Maintenance: Inject 100mg 5Q every 8 weeks ☐ Other: | | TREMFYA | ☐ 100mg PFS | | | _ | | |
| | | | | ☐ iviaintenance: inject_foung SQ e | very o weeks | Other: | Revised 07/12/2010 | |